






















Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	KRS Ø 120 PE	20	512 251 401		26,20	0,090	35,80	0,118	125 370 500	13,35	15,90
		22	512 251 402		76,25	0,624	122,80	0,826			
		21	512 251 404		30,00	0,131	41,20	0,162			
	KRS Ø 150 PE	20	512 251 501		39,00	0,109	52,10	0,144	125 370 700	21,95	26,15
		22	512 251 502		99,50	0,740	156,45	0,979			
		21	512 251 504		44,80	0,173	60,45	0,213			
	KSR Ø 110 PE, flex	20	512 256 211		21,20	0,083	29,50	0,110	125 410 506	12,30	14,65
		22	512 256 212		72,75	0,634	119,20	0,839			
		21	512 256 214		24,95	0,124	34,85	0,154			
	KSR Ø 125 PE, flex	20	512 256 221		25,85	0,083	35,05	0,110	125 410 606	16,50	19,65
		22	512 256 222		78,65	0,634	126,20	0,839			
		21	512 256 224		29,60	0,124	40,40	0,154			
	KSR Ø 140 PE, flex	20	512 256 231		31,50	0,102	42,85	0,136	125 410 706	19,90	23,70
		22	512 256 232		93,55	0,750	149,85	0,992			
		21	512 256 234		37,25	0,166	51,10	0,205			
	KSR Ø 160 PE, flex	20	512 256 241		37,05	0,102	49,45	0,136	125 410 806	24,90	29,65
		22	512 256 242		100,50	0,750	158,20	0,992			
		21	512 256 244		42,80	0,166	57,75	0,205			
	KRS-Bogen 90°, Ø 120 PE	22	512 257 214		165,50	0,392	214,00	0,491	126 746 005	131,10	156,15
	KRS-Bogen 90°, Ø 150 PE	22	512 257 215		217,35	0,448	278,15	0,561	126 746 007	178,00	212,05
	KRS-Bogen 90°, Ø 120 PE, flex	22	512 257 234		150,55	0,392	196,20	0,491	126 744 005	115,20	137,20
	KRS-Bogen 90°, Ø 150 PE, flex	22	512 257 235		224,80	0,448	287,00	0,561	126 744 007	184,55	219,85
	KRS-Bogen 45°, Ø 120 PE	22	512 257 244		118,05	0,392	157,45	0,491	126 745 005	83,25	99,15
	KRS-Bogen 45°, Ø 150 PE	22	512 257 245		167,85	0,448	219,15	0,561	126 745 007	127,55	151,95
	KRS-Bogen 45°, Ø 120 PE, flex	22	512 257 254		143,25	0,392	187,50	0,491	126 747 015	107,15	127,65
	KRS-Bogen 45°, Ø 150 PE, flex	22	512 257 255		203,35	0,448	261,45	0,561	126 747 017	162,40	193,45

Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 KRFWG 63 hf	KRFWG 63 hf	11	512 313 671		24,80	0,148	37,15	0,196	125 252 802	10,75	12,85
		21	512 313 672		22,60	0,117	32,00	0,147			
		22	512 313 673		39,55	0,312	63,10	0,413			
		23	512 313 674		48,00	0,409	78,15	0,541			
		20	512 313 675		15,00	0,045	20,10	0,059			
 Al	Al-Rohr 63	11	512 332 271		47,05	0,207	66,65	0,274	125 061 799	19,85	23,65
		12	512 332 272		51,25	0,254	73,95	0,335			
		13	512 332 273		54,55	0,292	79,90	0,386			
 Al	Al-Bogen 63	11	512 337 227		81,45	0,139	104,20	0,184	126 276 070	69,35	82,60
 NUP	Einlassdose 3x2 NUP, t -120	20	512 612 141	11	83,05	0,297	114,85	0,399	370 313 200	56,45	67,25
		21	512 612 142	11	84,20	0,310	116,85	0,416			
		22	512 612 143	11	105,15	0,550	154,85	0,740			
		23	512 612 144	11	145,45	1,004	227,10	1,349			
 NUP	Einlassdose 4x2 NUP, t -120	20	512 612 151	11	98,65	0,417	139,95	0,561	370 314 200	61,45	73,20
		21	512 612 152	11	99,80	0,430	141,95	0,578			
		22	512 612 153	11	132,05	0,800	200,20	1,075			
		23	512 612 154	11	177,85	1,316	282,40	1,768			
 NUP	Einlassdose 3x3 NUP, t -120	20	512 612 161	11	102,80	0,444	146,30	0,597	370 313 300	63,15	75,25
		21	512 612 162	11	104,00	0,458	148,45	0,615			
		22	512 612 163	11	140,80	0,880	214,90	1,182			
		23	512 612 164	11	192,40	1,461	307,55	1,963			
 NUP	Einlassdose 4x3 NUP, t -120	20	512 612 171	11	110,50	0,472	156,90	0,634	370 314 300	68,15	81,15
		21	512 612 172	11	111,60	0,485	158,90	0,651			
		22	512 612 173	11	155,30	0,986	237,90	1,325			
		23	512 612 174	11	215,75	1,665	346,25	2,237			
 FLF	Einlassdose FLF 2x4, t -90	20	512 613 151	11	78,10	0,188	103,15	0,253	370 532 400	61,45	73,20
		21	512 613 152	11	79,25	0,201	105,30	0,271			
		22	512 613 153	11	95,20	0,384	134,00	0,516			
		23	512 613 154	11	118,80	0,652	176,60	0,877			
 FLF	Einlassdose FLF 3x4, t -90	20	512 613 171	11	85,85	0,199	112,85	0,267	370 533 400	68,15	81,15
		21	512 613 172	11	90,40	0,251	121,10	0,337			
		22	512 613 173	11	106,50	0,436	150,25	0,586			
		23	512 613 174	11	134,75	0,756	201,10	1,016			

Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF	
	Einlassdose Gr2, t 55-75 für GUP	20	512 614 211	11	41,50	0,141	57,05	0,190	371 215 300	29,10	34,65	
		21	512 614 212	11	42,60	0,154	59,00	0,207				
		22	512 614 213	11	50,65	0,246	73,55	0,331				
		23	512 614 214	11	63,25	0,390	96,30	0,524				
	Einlassdose Gr2, t 70-90 für GUP	20	512 614 311	11	41,50	0,141	57,05	0,190	371 215 600	29,10	34,65	
		21	512 614 312	11	42,60	0,154	59,05	0,207				
		22	512 614 313	11	50,65	0,246	73,55	0,331				
		23	512 614 314	11	63,30	0,390	96,30	0,524				

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)						
IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF	