



























































Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 7x1,5	FE0D-Kabel Dca 7x1,5	52	522 211 163		8,30	0,063	13,05	0,082			
		53	522 211 164		13,45	0,114	21,70	0,148			
 8x1,5	FE0D-Kabel Dca 8x1,5	52	522 211 173		9,10	0,063	14,00	0,082			
		53	522 211 174		14,25	0,114	22,65	0,148			
 12x1,5	FE0D-Kabel Dca 12x1,5	52	522 211 213		10,30	0,067	15,75	0,088			
		53	522 211 214		16,00	0,123	25,20	0,160			
 16x1,5	FE0D-Kabel Dca 16x1,5	52	522 211 223		11,90	0,067	17,65	0,088			
		53	522 211 224		17,60	0,123	27,10	0,160			
 21x1,5	FE0D-Kabel Dca 21x1,5	52	522 211 233		13,90	0,072	20,20	0,094			
		53	522 211 234		19,80	0,130	30,05	0,169			
 27x1,5	FE0D-Kabel Dca 27x1,5	52	522 211 243		15,90	0,080	22,90	0,104			
		53	522 211 244		22,35	0,144	33,80	0,187			
 7x4	FE0D-Kabel Dca 7x4	52	522 211 553		11,45	0,072	17,30	0,094			
		53	522 211 554		17,35	0,130	27,15	0,169			
 7x6	FE0D-Kabel Dca 7x6	52	522 211 653		14,30	0,076	20,75	0,098			
		53	522 211 654		20,50	0,137	31,40	0,179			
 4x50	FE0D-Kabel Dca 4x50	52	522 212 533		42,50	0,107	55,95	0,139			
		53	522 212 534		50,85	0,189	70,05	0,246			











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 4x70	FE0D-Kabel Dca 4x70	52	522 212 623		56,70	0,120	73,55	0,156			
		53	522 212 624		65,55	0,207	88,40	0,269			
 4x95	FE0D-Kabel Dca 4x95	52	522 212 723		68,85	0,138	88,85	0,179			
		53	522 212 724		78,05	0,228	104,40	0,297			
 5x95	FE0D-Kabel Dca 5x95	52	522 212 733		77,40	0,164	100,50	0,214			
		53	522 212 734		87,35	0,262	117,10	0,340			
 1x120	FE0D-Kabel Dca 1x120	52	522 214 113		23,85	0,090	32,75	0,116			
		53	522 214 114		37,85	0,188	54,50	0,245			
 1x150	FE0D-Kabel Dca 1x150	52	522 214 213		27,90	0,097	38,05	0,126			
		53	522 214 214		42,45	0,200	60,55	0,260			
 1x185	FE0D-Kabel Dca 1x185	52	522 214 313		31,80	0,097	42,70	0,126			
		53	522 214 314		46,45	0,200	65,30	0,260			
 1x240	FE0D-Kabel Dca 1x240	52	522 214 413		40,00	0,107	52,95	0,139			
		53	522 214 414		55,10	0,215	76,45	0,280			
 4x1,5	FE180/E30-Kabel 4x1,5	12	522 261 132		37,60	0,300	60,30	0,394	109 210 422	3,80	4,55
		52	522 261 133		10,15	0,063	15,25	0,082			
		53	522 261 134		15,30	0,114	23,90	0,148			
 7x1,5	FE180/E30-Kabel 7x1,5	12	522 261 142		40,20	0,301	63,25	0,394	109 210 732	6,25	7,45
		52	522 261 143		13,00	0,067	18,95	0,088			
		53	522 261 144		18,65	0,123	28,35	0,160			











Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 FE180 E30 3x4	FE180/E30-Kabel 3x4	12	522 261 312	11	40,25	0,301	63,35	0,394	109 230 322	6,40	7,60
		52	522 261 313	11	13,15	0,067	19,10	0,088			
		53	522 261 314	11	18,90	0,123	28,65	0,160			
 FE180 E30 7x4	FE180/E30-Kabel 7x4	12	522 261 332	11	45,85	0,303	70,10	0,397			
		52	522 261 333	11	19,30	0,076	26,70	0,098			
		53	522 261 334	11	25,60	0,137	37,45	0,179			
 FE180 E30 3x6	FE180/E30-Kabel 3x6	12	522 261 412	11	42,60	0,301	66,10	0,394	109 240 322	8,65	10,30
		52	522 261 413	11	15,40	0,067	21,80	0,088			
		53	522 261 414	11	21,15	0,123	31,35	0,160			
 FE180 E30 7x6	FE180/E30-Kabel 7x6	12	522 261 432	11	49,05	0,310	74,35	0,406			
		52	522 261 433	11	22,20	0,080	30,45	0,104			
		53	522 261 434	11	28,10	0,137	40,40	0,179			
 FE180 E90 4x1,5	FE180/E90-Kabel 4x1,5	12	522 263 132		40,85	0,301	64,05	0,394	109 211 436	6,95	8,30
		52	522 263 133		13,70	0,067	19,80	0,088			
		53	522 263 134		19,30	0,123	29,20	0,160			
 FE180 E90 7x1,5	FE180/E90-Kabel 7x1,5	12	522 263 142		45,25	0,301	69,25	0,394	109 211 736	11,30	13,45
		52	522 263 143		18,05	0,067	24,95	0,088			
		53	522 263 144		23,65	0,123	34,35	0,160			
 FE180 E90 3x4	FE180/E90-Kabel 3x4	12	522 263 312	11	44,05	0,301	67,85	0,394	109 231 326	10,15	12,10
		52	522 263 313	11	16,90	0,067	23,60	0,088			
		53	522 263 314	11	22,65	0,123	33,15	0,160			
 FE180 E90 7x4	FE180/E90-Kabel 7x4	12	522 263 332	11	50,25	0,303	75,40	0,397			
		52	522 263 333	11	23,75	0,076	32,00	0,098			
		53	522 263 334	11	30,00	0,137	42,70	0,179			
 FE180 E90 3x6	FE180/E90-Kabel 3x6	12	522 263 412	11	46,85	0,302	71,35	0,396	109 241 326	12,80	15,25
		52	522 263 413	11	20,10	0,072	27,55	0,094			
		53	522 263 414	11	26,05	0,130	37,50	0,169			
 FE180 E90 7x6	FE180/E90-Kabel 7x6	12	522 263 432	11	56,30	0,310	83,00	0,406			
		52	522 263 433	11	29,50	0,080	39,10	0,104			
		53	522 263 434	11	36,05	0,144	50,10	0,187			











Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 FE180 E60 4x1,5	FE180/E60-Kabel 4x1,5	12	522 265 132		38,20	0,301	60,90	0,394	109 211 434	4,35	5,15
		52	522 265 133		11,10	0,067	16,65	0,088			
		53	522 265 134		16,70	0,123	26,05	0,160			
 FE180 E60 7x1,5	FE180/E60-Kabel 7x1,5	12	522 265 142		41,60	0,301	64,95	0,394	109 211 734	7,65	9,10
		52	522 265 143		14,40	0,067	20,60	0,088			
		53	522 265 144		20,05	0,123	30,00	0,160			
 FE180 E60 3x4	FE180/E60-Kabel 3x4	12	522 265 312	11	40,90	0,301	64,10	0,394	109 231 324	7,00	8,35
		52	522 265 313	11	13,75	0,067	19,85	0,088			
		53	522 265 314	11	19,45	0,123	29,30	0,160			
 FE180 E60 7x4	FE180/E60-Kabel 7x4	12	522 265 332	11	45,85	0,303	70,15	0,397			
		52	522 265 333	11	19,30	0,076	26,70	0,098			
		53	522 265 334	11	25,50	0,137	37,35	0,179			
 FE180 E60 3x6	FE180/E60-Kabel 3x6	12	522 265 412	11	44,10	0,302	68,05	0,396	109 241 324	10,10	12,00
		52	522 265 413	11	17,35	0,072	24,30	0,094			
		53	522 265 414	11	23,20	0,130	34,15	0,169			
 FE180 E60 7x6	FE180/E60-Kabel 7x6	12	522 265 432	11	49,05	0,310	74,30	0,406			
		52	522 265 433	11	22,20	0,080	30,40	0,104			
		53	522 265 434	11	28,65	0,144	41,30	0,187			
 PVC 8x1,5	PVC-Kabel 8x1,5	52	522 311 173		11,80	0,067	17,50	0,088	106 010 823	5,05	6,00
		53	522 311 174		17,45	0,123	26,95	0,160			
 PVC 12x1,5	PVC-Kabel 12x1,5	52	522 311 213		14,25	0,067	20,45	0,088	106 011 223	7,50	8,95
		53	522 311 214		19,95	0,123	29,90	0,160			
 AS -21x2,5	AS PVC/FE0/FE05-Kabel -21x2,5	72	522 381 161		177,30	1,578	291,70	2,068			
		73	522 381 162		412,35	3,850	684,35	5,016			
		71	522 381 163		74,55	0,740	125,25	0,958			
 AS -27x2,5	AS PVC/FE0/FE05-Kabel -27x2,5	72	522 381 171		246,05	1,962	392,30	2,564			
		73	522 381 172		555,70	4,958	910,20	6,454			
		71	522 381 173		93,45	0,928	156,85	1,200			











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
AS  -1x120	AS PVC/FE0/FE05-Kabel -1x120	72	522 381 611		76,70	0,576	122,35	0,770			
		73	522 381 612		143,25	1,022	223,95	1,350			
AS  -5x120	AS PVC/FE0/FE05-Kabel -5x120	72	522 381 631		211,00	1,954	347,35	2,528			
		73	522 381 632		411,20	2,864	631,90	3,716			
AS  1x150	AS PVC/FE0/FE05-Kabel 1x150	72	522 381 711		114,70	0,654	171,60	0,872			
		73	522 381 712		184,50	1,126	278,10	1,484			
AS  1x240	AS PVC/FE0/FE05-Kabel 1x240	72	522 385 111		126,95	0,776	192,20	1,030			
		73	522 385 112		232,35	1,390	347,90	1,824			
AS  1x185	AS PVC/FE0/FE05-Kabel 1x185	72	522 385 211		126,95	0,776	192,20	1,030			
		73	522 385 212		217,10	1,362	328,65	1,790			
AS FE180 E30/E60  -3x6	AS FE180/E30/60-Kabel -3x6	71	522 386 211		19,95	0,196	33,45	0,254			
		72	522 386 212		60,30	0,474	97,80	0,638			
		73	522 386 213		106,55	0,920	174,95	1,216			
AS FE180 E30/E60  -7x6	AS FE180/E30/60-Kabel -7x6	71	522 386 231		30,20	0,298	50,40	0,384			
		72	522 386 232		98,60	0,794	159,40	1,054			
		73	522 386 233		190,00	1,670	311,65	2,190			
AS FE180 E90  -3x6	AS FE180/E90-Kabel -3x6	71	522 387 211		24,55	0,242	41,25	0,314			
		72	522 387 212		76,35	0,634	124,95	0,846			
		73	522 387 213		125,20	1,106	206,50	1,458			
AS FE180 E90  -7x6	AS FE180/E90-Kabel -7x6	71	522 387 231		30,20	0,298	50,40	0,384			
		72	522 387 232		98,60	0,794	159,40	1,054			
		73	522 387 233		190,00	1,670	311,65	2,190			
GKN  3x6/6	GKN-Kabel hf 3x6/6	52	522 411 114		16,95	0,073	23,85	0,095	106 740 421	9,60	11,40
		53	522 411 115		22,70	0,130	33,70	0,170			











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 3x10/10	GKN-Kabel hf 3x10/10	52	522 411 124		21,30	0,082	29,40	0,106	106 750 411	13,05	15,50
		53	522 411 125		27,75	0,146	40,25	0,189			
 3x16/16	GKN-Kabel hf 3x16/16	52	522 411 134		27,75	0,084	37,25	0,109	106 760 411	19,30	23,00
		53	522 411 135		34,90	0,153	49,20	0,199			
 3x25/25	GKN-Kabel hf 3x25/25	52	522 411 144		39,75	0,098	52,20	0,127	106 762 411	29,85	35,55
		53	522 411 145		47,60	0,175	65,40	0,227			
 3x50/50	GKN-Kabel hf 3x50/50	52	522 411 164		64,60	0,110	82,45	0,143	106 770 411	53,50	63,75
		53	522 411 165		73,00	0,192	96,60	0,250			
 3x95/95	GKN-Kabel hf 3x95/95	52	522 411 174		110,20	0,142	138,25	0,184	106 778 411	95,90	114,20
		53	522 411 175		119,70	0,235	154,25	0,305			
 3x150/150	GKN-Kabel hf 3x150/150	52	522 411 224		168,40	0,210	211,10	0,273	106 784 411	147,30	175,45
		53	522 411 225		178,75	0,311	228,55	0,405			
 3x185/185	GKN-Kabel hf 3x185/185	52	522 411 234		140,60	0,210	177,95	0,273			
		53	522 411 235		150,90	0,311	195,40	0,405			
 3x240/240	GKN-Kabel hf 3x240/240	52	522 411 244		279,95	0,290	347,95	0,377	106 790 411	250,80	298,75
		53	522 411 245		291,95	0,408	368,10	0,530			
 1x95/35	GKN-Kabel hf 1x95/35	52	522 411 414		31,55	0,090	42,10	0,117			
		53	522 411 415		45,80	0,189	64,05	0,246			
 1x150/50	GKN-Kabel hf 1x150/50	52	522 411 424		59,80	0,110	76,70	0,143	106 786 101	48,70	58,00
		53	522 411 425		74,95	0,218	100,25	0,284			











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x240/80	GKN-Kabel hf 1x240/80	52	522 411 434		49,35	0,142	65,80	0,184			
		53	522 411 435		65,60	0,261	91,15	0,339			
 -3x6/6	AS GKN-Kabel -3x6/6	72	522 481 121		197,85	1,490	310,05	1,948			
		73	522 481 122		259,55	2,014	409,60	2,628			
 -3x16/16	AS GKN-Kabel -3x16/16	72	522 481 211		245,20	1,656	375,05	2,166			
		73	522 481 212		322,30	2,284	497,15	2,974			
 -3x35/35	AS GKN-Kabel -3x35/35	72	522 481 311		314,20	2,198	483,75	2,866			
		73	522 481 312		431,25	3,138	669,05	4,080			
 -3x70/70	AS GKN-Kabel -3x70/70	72	522 481 411		383,85	2,576	585,60	3,358			
		73	522 481 412		527,10	3,532	803,30	4,596			
 -1x95/35	AS GKN-Kabel 1x95/35	72	522 481 511		266,45	1,740	404,50	2,274			
		73	522 481 512		329,40	2,204	502,25	2,874			
 -3x120/120	AS GKN-Kabel -3x120/120	72	522 481 521		406,85	2,802	623,75	3,648			
		73	522 481 522		597,90	3,838	903,75	5,000			
 -1x150/50	AS GKN-Kabel 1x150/50	72	522 481 611		277,75	1,850	423,10	2,414			
		73	522 481 612		407,50	2,518	611,20	3,284			
 -3x185/185	AS GKN-Kabel -3x185/185	72	522 481 621		404,35	3,298	641,95	4,264			
		73	522 481 622		648,15	4,478	991,35	5,798			
 -1x240/80	AS GKN-Kabel 1x240/80	72	522 481 711		371,90	2,246	555,10	2,930			
		73	522 481 712		534,50	2,994	785,35	3,896			

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 AS -3x240/240	AS GKN-Kabel 3x240/240	72	522 481 721		441,40	3,524	697,10	4,554			
		73	522 481 722		747,80	4,832	1'126,60	6,248			
 PVC 2x1	Flex-Kabel PVC 2x1	11	522 513 111		8,40	0,072	13,30	0,091	113 832 023	0,95	1,10
		52	522 513 112		6,85	0,059	11,05	0,076			
		53	522 513 113		11,75	0,107	19,30	0,139			
 PVC 3x1	Flex-Kabel PVC 3x1	11	522 513 121		8,40	0,072	13,25	0,091	113 832 033	0,90	1,05
		52	522 513 122		6,85	0,059	11,00	0,076			
		53	522 513 123		11,70	0,107	19,30	0,139			
 PVC 4x1	Flex-Kabel PVC 4x1	11	522 513 131		8,70	0,072	13,65	0,091	113 832 043	1,20	1,45
		52	522 513 132		7,15	0,059	11,40	0,076			
		53	522 513 133		12,00	0,107	19,65	0,139			
 PVC 5x1	Flex-Kabel PVC 5x1	11	522 513 141		8,90	0,072	13,85	0,091	113 832 053	1,40	1,70
		52	522 513 142		7,75	0,063	12,40	0,082			
		53	522 513 143		12,95	0,114	21,10	0,148			
 PVC 7x1	Flex-Kabel PVC 7x1	52	522 513 152		9,10	0,063	14,00	0,082	113 832 073	2,75	3,25
		53	522 513 153		14,25	0,114	22,65	0,148			
 PVC 10x1	Flex-Kabel PVC 10x1	52	522 513 162		10,15	0,063	15,25	0,082	113 832 103	3,80	4,55
		53	522 513 163		15,35	0,114	23,95	0,148			
 PVC 12x1	Flex-Kabel PVC 12x1	52	522 513 172		11,55	0,067	17,25	0,088	113 832 123	4,80	5,75
		53	522 513 173		17,25	0,123	26,70	0,160			
 PVC 2x1,5	Flex-Kabel PVC 2x1,5	11	522 513 211		8,70	0,072	13,65	0,091	113 833 023	1,20	1,45
		52	522 513 212		7,15	0,059	11,40	0,076			
		53	522 513 213		12,00	0,107	19,65	0,139			
 PVC 4x1,5	Flex-Kabel PVC 4x1,5	11	522 513 231		9,15	0,072	14,30	0,092	113 833 043	1,65	2,00
		52	522 513 232		8,00	0,063	12,70	0,082			
		53	522 513 233		13,20	0,114	21,40	0,148			

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 <p>PVC</p> <p>Flex-Kabel PVC 7x1,5</p> <p>7x1,5</p>		52	522 513 252		9,95	0,063	15,00	0,082	113 833 073	3,60	4,30
		53	522 513 253		15,15	0,114	23,70	0,148			
 <p>PVC</p> <p>Flex-Kabel PVC 10x1,5</p> <p>10x1,5</p>		52	522 513 262		12,45	0,067	18,30	0,088	113 833 103	5,70	6,80
		53	522 513 263		18,15	0,123	27,75	0,160			
 <p>PVC</p> <p>Flex-Kabel PVC 4x2,5</p> <p>4x2,5</p>		11	522 513 321		11,15	0,072	16,65	0,092	113 834 043	3,65	4,35
		52	522 513 322		10,00	0,063	15,05	0,082			
		53	522 513 323		15,15	0,114	23,75	0,148			
 <p>PVC</p> <p>Flex-Kabel PVC 7x2,5</p> <p>7x2,5</p>		52	522 513 342		13,10	0,067	19,05	0,088	113 834 073	6,35	7,55
		53	522 513 343		18,80	0,123	28,55	0,160			
 <p>PVC</p> <p>Flex-Kabel PVC 10x2,5</p> <p>10x2,5</p>		52	522 513 352		17,40	0,072	24,40	0,094	113 834 103	10,15	12,10
		53	522 513 353		23,30	0,130	34,25	0,169			
 <p>PVC</p> <p>Flex-Kabel PVC 12x2,5</p> <p>12x2,5</p>		52	522 513 362		18,50	0,076	25,75	0,098	113 834 123	10,85	12,95
		53	522 513 363		24,70	0,137	36,40	0,179			
 <p>PVC</p> <p>Flex-Kabel PVC 4x4</p> <p>4x4</p>		52	522 513 412		12,65	0,067	18,55	0,088	113 835 043	5,90	7,05
		53	522 513 413		18,35	0,123	28,00	0,160			
 <p>PVC</p> <p>Flex-Kabel PVC 7x4</p> <p>7x4</p>		52	522 513 432		17,25	0,076	24,25	0,098	113 835 073	9,55	11,40
		53	522 513 433		23,50	0,137	34,95	0,179			
 <p>PVC</p> <p>Flex-Kabel PVC 4x6</p> <p>4x6</p>		52	522 513 512		15,85	0,072	22,55	0,094	113 836 043	8,60	10,25
		53	522 513 513		21,75	0,130	32,40	0,169			
 <p>PVC</p> <p>Flex-Kabel PVC 7x6</p> <p>7x6</p>		52	522 513 532		23,35	0,080	31,85	0,104	113 836 073	15,30	18,25
		53	522 513 533		29,90	0,144	42,85	0,187			

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 4x10	Flex-Kabel PVC 4x10	52	522 513 612		21,50	0,080	29,60	0,104	113 837 043	13,45	16,00
		53	522 513 613		28,05	0,144	40,60	0,187			
 4x16	Flex-Kabel PVC 4x16	52	522 513 712		29,50	0,083	39,30	0,108	113 838 043	21,15	25,20
		53	522 513 713		36,60	0,152	51,20	0,198			
 1x150	Flex-Kabel Dca 1x150	52	522 543 153		57,45	0,090	72,85	0,116	114 284 103	48,40	57,65
		53	522 543 154		71,55	0,188	94,65	0,245			
 1x185	Flex-Kabel Dca 1x185	52	522 543 253		69,05	0,097	87,10	0,126	114 287 103	59,30	70,65
		53	522 543 254		83,60	0,200	109,55	0,260			
 1x240	Flex-Kabel Dca 1x240	52	522 543 353		88,60	0,107	110,90	0,139	114 290 003	77,85	92,75
		53	522 543 354		103,70	0,215	134,30	0,280			
 2x1	Flex-Kabel Cca 2x1	11	522 544 211		8,80	0,072	13,75	0,091			
		52	522 544 213		7,35	0,059	11,60	0,076			
		53	522 544 214		12,20	0,107	19,85	0,139			
 7x1	Flex-Kabel Cca 7x1	52	522 544 253		9,55	0,063	14,50	0,082			
		53	522 544 254		14,70	0,114	23,20	0,148			
 12x1	Flex-Kabel Cca 12x1	52	522 544 273		12,20	0,067	18,00	0,088			
		53	522 544 274		17,85	0,123	27,40	0,160			
 2x1,5	Flex-Kabel Cca 2x1,5	11	522 544 311		9,45	0,072	14,50	0,091			
		52	522 544 313		7,90	0,059	12,25	0,076			
		53	522 544 314		12,70	0,107	20,50	0,139			
 7x2,5	Flex-Kabel Cca 7x2,5	52	522 544 453		14,40	0,067	20,65	0,088			
		53	522 544 454		20,05	0,123	30,05	0,160			

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Flex-Kabel Cca 7x4	52	522 544 533		17,00	0,072	23,90	0,094			
		53	522 544 534		22,85	0,130	33,70	0,169			
	Flex-Kabel Cca 7x6	52	522 544 653		25,05	0,083	33,95	0,108			
		53	522 544 654		31,95	0,152	45,70	0,198			
	Flex-Kabel Cca 4x0,75 geschirmt	11	522 553 111		11,10	0,072	16,50	0,091			
		52	522 553 113		9,55	0,059	14,25	0,076			
		53	522 553 114		14,45	0,107	22,55	0,139			
	Flex-Kabel Cca 8x0,75 geschirmt	11	522 553 121		13,00	0,072	18,85	0,092			
		52	522 553 123		11,85	0,063	17,25	0,082			
		53	522 553 124		17,00	0,114	25,95	0,148			
	Flex-Kabel Cca 12x0,75 geschirmt	52	522 553 133		13,95	0,063	19,80	0,082			
		53	522 553 134		19,15	0,114	28,45	0,148			
	Flex-Kabel Cca 18x0,75 geschirmt	52	522 553 143		17,50	0,067	24,35	0,088			
		53	522 553 144		23,20	0,123	33,80	0,160			
	Flex-Kabel Cca 25x0,75 geschirmt	52	522 553 153		21,40	0,072	29,15	0,094			
		53	522 553 154		27,30	0,130	39,00	0,169			
	Flex-Kabel Cca 2x1 geschirmt	11	522 553 211		10,35	0,072	15,60	0,091			
		52	522 553 213		8,90	0,059	13,45	0,076			
		53	522 553 214		13,80	0,107	21,75	0,139			
	Flex-Kabel Cca 7x1 geschirmt	52	522 553 253		12,20	0,063	17,70	0,082			
		53	522 553 254		17,35	0,114	26,30	0,148			
	Flex-Kabel Cca 12x1 geschirmt	52	522 553 273		16,10	0,067	22,65	0,088			
		53	522 553 274		21,75	0,123	32,05	0,160			

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 2x2x0,5	Flex-Kabel PVC 2x2x0,5 geschirmt	11	522 562 111		9,60	0,072	14,65	0,091	113 773 023	2,20	2,60
		52	522 562 113		8,10	0,059	12,55	0,076			
		53	522 562 114		13,00	0,107	20,80	0,139			
 3x2x0,5	Flex-Kabel PVC 3x2x0,5 geschirmt	11	522 562 121		10,30	0,072	15,70	0,092	113 773 033	2,90	3,50
		52	522 562 123		9,25	0,063	14,20	0,082			
		53	522 562 124		14,45	0,114	22,90	0,148			
 4x2x0,5	Flex-Kabel PVC 4x2x0,5 geschirmt	11	522 562 131		10,85	0,072	16,30	0,092	113 773 043	3,45	4,10
		52	522 562 133		9,80	0,063	14,85	0,082			
		53	522 562 134		14,95	0,114	23,50	0,148			
 1x185	AS Flex-Kabel 1x185	72	522 582 112		126,95	0,776	192,20	1,030			
		73	522 582 113		220,45	1,362	332,65	1,790			
 1x240	AS Flex-Kabel 1x240	72	522 582 212		126,95	0,776	192,20	1,030			
		73	522 582 213		232,35	1,390	347,90	1,824			
 1x150	AS Flex-Kabel 1x150	72	522 582 312		114,70	0,654	171,60	0,872			
		73	522 582 313		187,85	1,126	282,10	1,484			
 -18x1,5	AS Flex-Kabel -18x1,5 geschirmt	71	522 585 751		58,70	0,582	98,65	0,754			
		72	522 585 752		152,45	1,366	251,70	1,794			
		73	522 585 753		338,45	3,192	563,95	4,164			
 -25x1,5	AS Flex-Kabel -25x1,5 geschirmt	71	522 585 761		74,55	0,740	125,25	0,958			
		72	522 585 762		174,60	1,578	288,40	2,068			
		73	522 585 763		406,15	3,850	677,00	5,016			
 1x6	Draht PVC 1x6	52	522 713 411		6,80	0,051	10,75	0,067	105 002 400	1,65	2,00
		53	522 713 412		9,30	0,076	14,95	0,099			
 5x6	Draht PVC 5x6	52	522 713 451		15,15	0,068	21,55	0,089			
		53	522 713 452		18,55	0,102	27,15	0,132			

[illegible]

AS



-3x95