













522 Starkstromleiter

522.001

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 8x1,5	FE0-Kabel Dca 8x1,5	52	522 211 173		9,60	0,066	14,80	0,086			
		53	522 211 174		15,45	0,122	24,50	0,158			
 12x1,5	FE0-Kabel Dca 12x1,5	52	522 211 213		10,40	0,066	15,70	0,086			
		53	522 211 214		16,25	0,122	25,40	0,158			
 16x1,5	FE0-Kabel Dca 16x1,5	52	522 211 223		11,70	0,066	17,30	0,086			
		53	522 211 224		17,55	0,122	26,95	0,158			
 21x1,5	FE0-Kabel Dca 21x1,5	52	522 211 233		13,10	0,066	19,00	0,086			
		53	522 211 234		18,95	0,122	28,65	0,158			
 27x1,5	FE0-Kabel Dca 27x1,5	52	522 211 243		17,75	0,090	25,55	0,116			
		53	522 211 244		25,15	0,161	37,80	0,207			
 7x4	FE0-Kabel Dca 7x4	52	522 211 553		10,55	0,066	15,95	0,086			
		53	522 211 554		16,40	0,122	25,65	0,158			
 7x6	FE0-Kabel Dca 7x6	52	522 211 653		13,95	0,066	19,95	0,086			
		53	522 211 654		19,80	0,122	29,65	0,158			
 1x10	FE0-Kabel Dca 1x10	52	522 212 113		9,65	0,066	14,85	0,086			
		53	522 212 114		15,50	0,122	24,55	0,158			
 4x50	FE0-Kabel Dca 4x50	52	522 212 533		38,35	0,090	50,10	0,116			
		53	522 212 534		45,85	0,161	62,40	0,207			
 4x70	FE0-Kabel Dca 4x70	52	522 212 623		49,40	0,118	64,60	0,152			
		53	522 212 624		58,45	0,204	79,60	0,263			



522 Starkstromleiter

522.002

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
<div>FE0 D</div>  <div>1x120</div>	FE0-Kabel Dca 1x120	52	522 214 113		24,50	0,090	33,60	0,116			
		53	522 214 114		38,70	0,187	55,25	0,241			
<div>FE0 D</div>  <div>1x150</div>	FE0-Kabel Dca 1x150	52	522 214 213		28,25	0,090	38,05	0,116			
		53	522 214 214		42,40	0,187	59,70	0,241			
<div>FE0 D</div>  <div>1x185</div>	FE0-Kabel Dca 1x185	52	522 214 313		32,30	0,090	42,85	0,116			
		53	522 214 314		46,50	0,187	64,50	0,241			
<div>FE0 D</div>  <div>1x240</div>	FE0-Kabel Dca 1x240	52	522 214 413		39,05	0,090	50,90	0,116			
		53	522 214 414		53,20	0,187	72,55	0,241			
<div>FE05 C</div>  <div>1x120</div>	FE05-Kabel Cca 1x120	52	522 232 513		25,90	0,090	35,25	0,116			
		53	522 232 514		40,10	0,187	56,90	0,241			
<div>FE05 C</div>  <div>1x150</div>	FE05-Kabel Cca 1x150	52	522 232 613		30,35	0,090	40,55	0,116			
		53	522 232 614		44,55	0,187	62,20	0,241			
<div>FE05 C</div>  <div>1x185</div>	FE05-Kabel Cca 1x185	52	522 232 713		36,35	0,090	47,70	0,116			
		53	522 232 714		50,55	0,187	69,35	0,241			
<div>FE05 C</div>  <div>1x240</div>	FE05-Kabel Cca 1x240	52	522 233 113		44,50	0,090	57,40	0,116			
		53	522 233 114		58,70	0,187	79,05	0,241			
<div>FE05 B2</div>  <div>1x120</div>	FE05-Kabel B2ca 1x120	52	522 235 513		25,90	0,090	35,25	0,116			
		53	522 235 514		40,10	0,187	56,90	0,241			
<div>FE05 B2</div>  <div>1x150</div>	FE05-Kabel B2ca 1x150	52	522 235 613		30,35	0,090	40,55	0,116			
		53	522 235 614		44,55	0,187	62,20	0,241			



522 Starkstromleiter

522.003

© EIT.swiss 01.21








Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x185	FE05-Kabel B2ca 1x185	52	522 235 713		36,35	0,090	47,70	0,116			
		53	522 235 714		50,55	0,187	69,35	0,241			
 1x240	FE05-Kabel B2ca 1x240	52	522 236 113		44,50	0,090	57,40	0,116			
		53	522 236 114		58,70	0,187	79,05	0,241			
 4x1,5	FE180/E30-Kabel 4x1,5	12	522 261 132		36,70	0,297	59,50	0,392			
		52	522 261 133		9,20	0,066	14,30	0,086			
		53	522 261 134		15,05	0,122	24,05	0,158			
 3x4	FE180/E30-Kabel 3x4	12	522 261 312	11	37,80	0,297	60,85	0,392			
		52	522 261 313	11	10,30	0,066	15,65	0,086			
		53	522 261 314	11	16,15	0,122	25,35	0,158			
 7x4	FE180/E30-Kabel 7x4	12	522 261 332	11	43,85	0,297	68,05	0,392			
		52	522 261 333	11	16,30	0,066	22,80	0,086			
		53	522 261 334	11	22,20	0,122	32,50	0,158			
 3x6	FE180/E30-Kabel 3x6	12	522 261 412	11	38,25	0,297	61,35	0,392			
		52	522 261 413	11	10,65	0,066	16,05	0,086			
		53	522 261 414	11	16,55	0,122	25,75	0,158			
 7x6	FE180/E30-Kabel 7x6	12	522 261 432	11	46,35	0,312	71,70	0,411			
		52	522 261 433	11	19,60	0,090	27,75	0,116			
		53	522 261 434	11	27,00	0,161	40,00	0,207			
 1x120	FE180/E30-Kabel 1x120	52	522 262 513		30,45	0,090	40,65	0,116			
		53	522 262 514		44,60	0,187	62,30	0,241			
 1x150	FE180/E30-Kabel 1x150	52	522 262 613		34,00	0,090	44,90	0,116			
		53	522 262 614		48,20	0,187	66,55	0,241			
 1x185	FE180/E30-Kabel 1x185	52	522 262 713		42,25	0,090	54,75	0,116			
		53	522 262 714		56,45	0,187	76,40	0,241			



522 Starkstromleiter

522.004

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE180/E90 FE180/E90-Kabel 4x1,5	12	522 263 132		40,90	0,297	64,55	0,392	109 211 436	6,50	7,75
		52	522 263 133		13,35	0,066	19,25	0,086			
		53	522 263 134		19,25	0,122	29,00	0,158			
	FE180/E90 FE180/E90-Kabel 3x4	12	522 263 312	11	43,85	0,297	68,00	0,392	109 231 326	9,35	11,15
		52	522 263 313	11	16,20	0,066	22,70	0,086			
		53	522 263 314	11	22,10	0,122	32,40	0,158			
	FE180/E90 FE180/E90-Kabel 7x4	12	522 263 332	11	47,25	0,297	72,05	0,392			
		52	522 263 333	11	19,55	0,066	26,65	0,086			
		53	522 263 334	11	25,40	0,122	36,35	0,158			
	FE180/E90 FE180/E90-Kabel 3x6	12	522 263 412	11	46,55	0,297	71,25	0,392	109 241 326	12,10	14,40
		52	522 263 413	11	18,95	0,066	25,95	0,086			
		53	522 263 414	11	24,80	0,122	35,60	0,158			
	FE180/E90 FE180/E90-Kabel 7x6	12	522 263 432	11	53,80	0,312	80,60	0,411			
		52	522 263 433	11	27,00	0,090	36,55	0,116			
		53	522 263 434	11	34,40	0,161	48,80	0,207			
	FE180/E90 FE180/E90-Kabel 1x120	52	522 264 513		58,00	0,090	73,55	0,116	109 281 106	48,65	57,95
		53	522 264 514		72,20	0,187	95,15	0,241			
	FE180/E90 FE180/E90-Kabel 1x150	52	522 264 613		71,75	0,090	89,90	0,116	109 284 106	62,40	74,35
		53	522 264 614		85,95	0,187	111,55	0,241			
	FE180/E90 FE180/E90-Kabel 1x185	52	522 264 713		84,40	0,090	104,95	0,116	109 287 106	75,05	89,40
		53	522 264 714		98,60	0,187	126,60	0,241			
	FE180/E60 FE180/E60-Kabel 4x1,5	12	522 265 132		38,95	0,297	62,20	0,392	109 211 434	4,55	5,40
		52	522 265 133		11,40	0,066	16,90	0,086			
		53	522 265 134		17,25	0,122	26,65	0,158			
	FE180/E60 FE180/E60-Kabel 3x4	12	522 265 312	11	41,40	0,297	65,10	0,392	109 231 324	7,00	8,30
		52	522 265 313	11	13,85	0,066	19,85	0,086			
		53	522 265 314	11	19,70	0,122	29,55	0,158			



522 Starkstromleiter

522.005

© EIT.swiss 01.21











Allgemeine Informationen					Unternehmer-Informationen (unverbindliche Richtwerte)						
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 7x4	FE180/E60-Kabel 7x4	12	522 265 332	11	45,05	0,297	69,45	0,392			
		52	522 265 333	11	17,40	0,066	24,10	0,086			
		53	522 265 334	11	23,30	0,122	33,80	0,158			
 3x6	FE180/E60-Kabel 3x6	12	522 265 412	11	44,15	0,297	68,35	0,392	109 241 324	9,65	11,50
		52	522 265 413	11	16,50	0,066	23,05	0,086			
		53	522 265 414	11	22,40	0,122	32,75	0,158			
 7x6	FE180/E60-Kabel 7x6	12	522 265 432	11	47,95	0,312	73,55	0,411			
		52	522 265 433	11	21,15	0,090	29,60	0,116			
		53	522 265 434	11	28,60	0,161	41,85	0,207			
 1x120	FE180/E60-Kabel 1x120	52	522 266 513		30,45	0,090	40,65	0,116			
		53	522 266 514		44,60	0,187	62,30	0,241			
 1x150	FE180/E60-Kabel 1x150	52	522 266 613		34,00	0,090	44,90	0,116			
		53	522 266 614		48,20	0,187	66,55	0,241			
 1x185	FE180/E60-Kabel 1x185	52	522 266 713		42,25	0,090	54,75	0,116			
		53	522 266 714		56,45	0,187	76,40	0,241			
 5x6 + 5x1,5	Kabel Eca 5x6 + 5x1,5 mit Steuerleiter 0-4	52	522 351 103		22,90	0,066	30,65	0,086			
		53	522 351 104		28,85	0,122	40,45	0,158			
 5x10 + 5x1,5	Kabel Eca 5x10 + 5x1,5 mit Steuerleiter 0-4	52	522 351 203		31,25	0,090	41,60	0,116			
		53	522 351 204		38,70	0,161	53,95	0,207			
 -12x2,5	AS FE0/FE05-Kabel -12x2,5	72	522 381 141		121,40	0,990	194,60	1,290			
		73	522 381 142		282,55	2,508	483,35	3,414			
		71	522 381 143		47,30	0,454	78,70	0,586			
 -16x2,5	AS FE0/FE05-Kabel -16x2,5	72	522 381 151		158,70	1,350	256,65	1,754			
		73	522 381 152		369,65	3,336	635,00	4,536			
		71	522 381 153		60,15	0,578	100,10	0,746			



522 Starkstromleiter

522.006

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS FE0/FE05-Kabel -21x2,5	72	522 381 161		180,45	1,560	292,80	2,024			
		73	522 381 162		444,20	4,040	767,80	5,514			
		71	522 381 163		76,30	0,734	126,85	0,946			
	AS FE0/FE05-Kabel -27x2,5	72	522 381 171		250,15	1,942	394,50	2,516			
		73	522 381 172		597,15	5,206	1'017,90	7,098			
		71	522 381 173		95,40	0,918	158,40	1,182			
	AS FE0/FE05-Kabel -1x120	72	522 381 611		85,95	0,648	135,50	0,848			
		73	522 381 612		156,45	1,142	247,55	1,514			
	AS FE0/FE05-Kabel -5x120	72	522 381 631		218,70	1,982	358,85	2,564			
		73	522 381 632		431,05	3,100	687,35	4,160			
	AS FE0/FE05-Kabel 1x150	72	522 381 711		116,10	0,648	171,40	0,848			
		73	522 381 712		190,30	1,142	287,85	1,514			
	AS FE0/FE05-Kabel 5x6 + 5x1,5	72	522 384 101		116,55	0,946	187,05	1,236			
		73	522 384 102		254,45	2,238	433,45	3,042			
		71	522 384 103		43,75	0,420	72,80	0,542			
	AS FE0/FE05-Kabel 5x10 + 5x1,5	72	522 384 201		179,95	1,264	278,40	1,648			
		73	522 384 202		332,00	2,572	542,70	3,476			
		71	522 384 203		53,95	0,518	89,95	0,670			
	AS FE0/FE05-Kabel 1x240	72	522 385 111		128,55	0,768	192,00	1,002			
		73	522 385 112		228,75	1,378	345,20	1,818			
	AS FE0/FE05-Kabel 1x185	72	522 385 211		128,55	0,768	192,00	1,002			
		73	522 385 212		220,05	1,378	334,85	1,818			
	AS FE180/-E90-Kabel -3x6	71	522 387 211		25,15	0,240	41,80	0,310			
		72	522 387 212		77,50	0,626	124,40	0,820			
		73	522 387 213		130,75	1,126	217,90	1,506			



522 Starkstromleiter

522.007

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 AS FE180/-E90 -7x6	AS FE180/-E90-Kabel -7x6	71	522 387 231		30,95	0,296	51,40	0,382			
		72	522 387 232		100,05	0,784	159,00	1,024			
		73	522 387 233		201,25	1,728	338,60	2,336			
 GKN 3x6/6	GKN-Kabel hf 3x6/6	52	522 411 114		18,95	0,090	27,00	0,116	106 740 411	9,60	11,45
		53	522 411 115		26,35	0,161	39,25	0,207			
 GKN 3x10/10	GKN-Kabel hf 3x10/10	52	522 411 124		22,40	0,090	31,10	0,116	106 750 411	13,05	15,55
		53	522 411 125		29,80	0,161	43,30	0,207			
 GKN 3x16/16	GKN-Kabel hf 3x16/16	52	522 411 134		28,70	0,090	38,60	0,116	106 760 411	19,35	23,05
		53	522 411 135		36,25	0,161	51,00	0,207			
 GKN 3x25/25	GKN-Kabel hf 3x25/25	52	522 411 144		39,25	0,090	51,15	0,116	106 762 411	29,85	35,60
		53	522 411 145		46,75	0,161	63,50	0,207			
 GKN 3x50/50	GKN-Kabel hf 3x50/50	52	522 411 164		65,85	0,118	84,20	0,152	106 770 411	53,55	63,80
		53	522 411 165		74,90	0,204	99,25	0,263			
 GKN 3x95/95	GKN-Kabel hf 3x95/95	52	522 411 174		110,20	0,137	138,05	0,177	106 778 411	95,95	114,30
		53	522 411 175		119,50	0,225	153,35	0,290			
 GKN 3x150/150	GKN-Kabel hf 3x150/150	52	522 411 224		169,00	0,208	211,50	0,268	106 784 411	147,40	175,60
		53	522 411 225		179,65	0,309	229,05	0,398			
 GKN 3x185/185	GKN-Kabel hf 3x185/185	52	522 411 234		214,25	0,208	265,40	0,268			
		53	522 411 235		224,90	0,309	283,00	0,398			
 GKN 3x240/240	GKN-Kabel hf 3x240/240	52	522 411 244		280,70	0,287	348,45	0,370	106 790 411	250,90	298,85
		53	522 411 245		292,85	0,403	368,70	0,520			



522 Starkstromleiter

522.008

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x95/35	GKN-Kabel hf 1x95/35	52	522 411 414		35,70	0,118	48,30	0,152			
		53	522 411 415		51,60	0,230	72,80	0,297			
 1x150/50	GKN-Kabel hf 1x150/50	52	522 411 424		57,75	0,118	74,55	0,152			
		53	522 411 425		73,65	0,230	99,05	0,297			
 1x240/80	GKN-Kabel hf 1x240/80	52	522 411 434		93,25	0,137	117,85	0,177	106 792 101	79,05	94,15
		53	522 411 435		109,35	0,251	142,65	0,324			
 4x6/6	GKN-Kabel hf 4x6/6 EMV optimiert	52	522 411 514		23,35	0,090	32,20	0,116			
		53	522 411 515		30,75	0,161	44,45	0,207			
 4x10/10	GKN-Kabel hf 4x10/10 EMV optimiert	52	522 411 524		29,95	0,090	40,10	0,116			
		53	522 411 525		37,35	0,161	52,35	0,207			
 4x16/16	GKN-Kabel hf 4x16/16 EMV optimiert	52	522 411 534		36,90	0,090	48,35	0,116			
		53	522 411 535		44,45	0,161	60,75	0,207			
 4x25/25	GKN-Kabel hf 4x25/25 EMV optimiert	52	522 411 544		46,05	0,090	59,30	0,116			
		53	522 411 545		53,55	0,161	71,60	0,207			
 4x50/50	GKN-Kabel hf 4x50/50 EMV optimiert	52	522 411 564		80,65	0,118	101,80	0,152			
		53	522 411 565		89,70	0,204	116,85	0,263			
 4x95/95	GKN-Kabel hf 4x95/95 EMV optimiert	52	522 411 574		138,60	0,137	171,90	0,177			
		53	522 411 575		147,90	0,225	187,20	0,290			
 4x150/150	GKN-Kabel hf 4x150/150 EMV optimiert	52	522 411 624		214,85	0,208	266,10	0,268			
		53	522 411 625		225,50	0,309	283,70	0,398			



522 Starkstromleiter

522.009

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 4x185/185	GKN-EMV GKN-Kabel hf 4x185/185 EMV optimiert	52	522 411 634		336,60	0,208	411,10	0,268			
		53	522 411 635		347,20	0,309	428,70	0,398			
 4x240/240	GKN-EMV GKN-Kabel hf 4x240/240 EMV optimiert	52	522 411 644		451,00	0,287	551,30	0,370			
		53	522 411 645		463,20	0,403	571,55	0,520			
 -1x95/35	AS AS GKN-Kabel 1x95/35	72	522 483 112		292,65	2,002	446,45	2,588			
		73	522 483 113		364,45	2,526	561,50	3,292			
 -1x150/50	AS AS GKN-Kabel 1x150/50	72	522 483 122		306,75	2,131	469,30	2,753			
		73	522 483 123		403,15	2,761	621,40	3,613			
 -1x240/80	AS AS GKN-Kabel 1x240/80	72	522 483 132		428,80	2,630	639,30	3,397			
		73	522 483 133		533,90	3,232	799,05	4,211			
 -4x10/10	AS AS GKN-Kabel -4x10/10	72	522 483 312		282,00	1,840	427,10	2,382			
		73	522 483 313		366,20	2,528	570,60	3,340			
 -4x25/25	AS AS GKN-Kabel -4x25/25	72	522 483 322		451,45	2,144	643,30	2,770			
		73	522 483 323		540,95	2,844	793,60	3,742			
 -4x50/50	AS AS GKN-Kabel -4x50/50	72	522 483 332		552,25	2,787	795,05	3,601			
		73	522 483 333		702,65	3,845	1'036,00	5,039			
 -4x95/95	AS AS GKN-Kabel -4x95/95	72	522 483 342		714,55	3,430	1'019,85	4,429			
		73	522 483 343		872,15	4,400	1'265,00	5,753			
 -4x150/150	AS AS GKN-Kabel -4x150/150	72	522 483 352		746,50	3,719	1'071,25	4,795			
		73	522 483 353		1'017,00	5,221	1'488,20	6,889			



522 Starkstromleiter

522.010

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS GKN-Kabel -4x185/185	72	522 483 362		656,15	4,088	982,45	5,274			
		73	522 483 363		959,80	5,654	1'441,75	7,448			
	AS GKN-Kabel -4x240/240	72	522 483 372		686,15	4,348	1'029,50	5,598			
		73	522 483 373		1'035,20	5,932	1'544,05	7,798			
	Flex-Kabel B2ca 1x120	52	522 532 513		27,15	0,090	36,75	0,116			
		53	522 532 514		41,35	0,187	58,40	0,241			
	Flex-Kabel B2ca 1x150	52	522 532 613		32,10	0,090	42,65	0,116			
		53	522 532 614		46,30	0,187	64,30	0,241			
	Flex-Kabel B2ca 1x185	52	522 532 713		37,95	0,090	49,65	0,116			
		53	522 532 714		52,15	0,187	71,30	0,241			
	Flex-Kabel B2ca 1x240	52	522 533 113	17	45,30	0,090	58,35	0,116			
		53	522 533 114	17	59,50	0,187	80,00	0,241			
	Flex-Kabel Dca 1x120	52	522 542 753		43,95	0,090	56,75	0,116	114 281 103	34,55	41,20
		53	522 542 754		58,15	0,187	78,40	0,241			
	Flex-Kabel Dca 1x150	52	522 543 153		52,65	0,090	67,15	0,116	114 284 103	43,30	51,55
		53	522 543 154		66,85	0,187	88,75	0,241			
	Flex-Kabel Dca 1x185	52	522 543 253		61,65	0,090	77,80	0,116	114 287 103	52,25	62,25
		53	522 543 254		75,80	0,187	99,45	0,241			
	Flex-Kabel Dca 1x240	52	522 543 353		77,95	0,090	97,25	0,116	114 290 003	68,55	81,70
		53	522 543 354		92,15	0,187	118,90	0,241			



522 Starkstromleiter

522.011

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 Cca 2x1	Flex-Kabel Cca 2x1	11	522 544 211		9,05	0,073	14,35	0,094			
		52	522 544 213		7,40	0,060	11,75	0,077			
		53	522 544 214		12,35	0,107	19,95	0,138			
 Cca 7x1	Flex-Kabel Cca 7x1	52	522 544 253		9,55	0,066	14,75	0,086			
		53	522 544 254		15,45	0,122	24,50	0,158			
 Cca 12x1	Flex-Kabel Cca 12x1	52	522 544 273		11,50	0,066	17,05	0,086			
		53	522 544 274		17,35	0,122	26,75	0,158			
 Cca 2x1,5	Flex-Kabel Cca 2x1,5	11	522 544 311		9,55	0,073	14,95	0,094			
		52	522 544 313		7,90	0,060	12,30	0,077			
		53	522 544 314		12,85	0,107	20,55	0,138			
 Cca 10x1,5	Flex-Kabel Cca 10x1,5	52	522 544 363		12,25	0,066	17,95	0,086			
		53	522 544 364		18,10	0,122	27,65	0,158			
 Cca 12x1,5	Flex-Kabel Cca 12x1,5	52	522 544 373		13,65	0,066	19,60	0,086			
		53	522 544 374		19,50	0,122	29,30	0,158			
 Cca 7x4	Flex-Kabel Cca 7x4	52	522 544 533		15,20	0,066	21,45	0,086			
		53	522 544 534		21,05	0,122	31,15	0,158			
 Cca 7x6	Flex-Kabel Cca 7x6	52	522 544 653		23,60	0,090	32,50	0,116			
		53	522 544 654		31,00	0,161	44,75	0,207			
 Cca 1x120	Flex-Kabel Cca 1x120	52	522 545 753		48,80	0,090	62,55	0,116	114 281 106	39,45	47,00
		53	522 545 754		63,00	0,187	84,20	0,241			
 Cca 1x150	Flex-Kabel Cca 1x150	52	522 546 153		58,15	0,090	73,70	0,116	114 284 106	48,80	58,15
		53	522 546 154		72,35	0,187	95,35	0,241			



522 Starkstromleiter

522.012

© EIT.swiss 01.21











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
<div>Cca</div> <div></div> <div>1x185</div>	Flex-Kabel Cca 1x185	52	522 546 253		69,05	0,090	86,65	0,116	114 287 106	59,70	71,10
		53	522 546 254		83,25	0,187	108,30	0,241			
<div>Cca</div> <div></div> <div>1x240</div>	Flex-Kabel Cca 1x240	52	522 546 353		87,85	0,090	109,05	0,116	114 290 006	78,45	93,45
		53	522 546 354		102,05	0,187	130,70	0,241			
<div>Cca</div> <div></div> <div>4x0,75</div>	Flex-Kabel Cca 4x0,75 geschirmt	11	522 553 111		10,00	0,073	15,50	0,094	118 854 040	2,15	2,55
		52	522 553 113		8,40	0,060	12,90	0,077			
		53	522 553 114		13,35	0,107	21,10	0,138			
<div>Cca</div> <div></div> <div>8x0,75</div>	Flex-Kabel Cca 8x0,75 geschirmt	11	522 553 121		14,15	0,073	20,40	0,094	118 854 080	6,30	7,50
		52	522 553 123		13,15	0,066	19,00	0,086			
		53	522 553 124		19,00	0,122	28,70	0,158			
<div>Cca</div> <div></div> <div>12x0,75</div>	Flex-Kabel Cca 12x0,75 geschirmt	52	522 553 133		12,50	0,066	18,25	0,086	118 854 120	5,65	6,70
		53	522 553 134		18,35	0,122	27,95	0,158			
<div>Cca</div> <div></div> <div>18x0,75</div>	Flex-Kabel Cca 18x0,75 geschirmt	52	522 553 143		14,90	0,066	21,15	0,086	118 854 180	8,05	9,60
		53	522 553 144		20,80	0,122	30,85	0,158			
<div>Cca</div> <div></div> <div>25x0,75</div>	Flex-Kabel Cca 25x0,75 geschirmt	52	522 553 153		18,95	0,066	25,90	0,086			
		53	522 553 154		24,80	0,122	35,60	0,158			
<div>Cca</div> <div></div> <div>2x1</div>	Flex-Kabel Cca 2x1 geschirmt	11	522 553 211		9,55	0,073	14,95	0,094	118 855 020	1,70	2,00
		52	522 553 213		7,90	0,060	12,35	0,077			
		53	522 553 214		12,85	0,107	20,55	0,138			
<div>Cca</div> <div></div> <div>7x1</div>	Flex-Kabel Cca 7x1 geschirmt	52	522 553 253		11,15	0,066	16,65	0,086	118 855 070	4,30	5,10
		53	522 553 254		17,00	0,122	26,35	0,158			
<div>Cca</div> <div></div> <div>12x1</div>	Flex-Kabel Cca 12x1 geschirmt	52	522 553 273		13,95	0,066	20,00	0,086	118 855 120	7,10	8,45
		53	522 553 274		19,85	0,122	29,70	0,158			



522 Starkstromleiter











522.013

© EIT.swiss 01.21

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 2x2x0,5	Flex-Kabel PVC 2x2x0,5 geschirmt	11	522 562 111		9,95	0,073	15,40	0,094	113 773 023	2,05	2,45
		52	522 562 113		8,30	0,060	12,80	0,077			
		53	522 562 114		13,25	0,107	21,00	0,138			
 3x2x0,5	Flex-Kabel PVC 3x2x0,5 geschirmt	11	522 562 121		10,15	0,073	15,65	0,094	113 773 033	2,30	2,75
		52	522 562 123		9,15	0,066	14,25	0,086			
		53	522 562 124		15,00	0,122	24,00	0,158			
 4x2x0,5	Flex-Kabel PVC 4x2x0,5 geschirmt	11	522 562 131		11,15	0,073	16,85	0,094	113 773 043	3,30	3,90
		52	522 562 133		10,15	0,066	15,45	0,086			
		53	522 562 134		16,00	0,122	25,15	0,158			
 -12x2,5	AS Flex-Kabel -12x2,5	72	522 581 141		123,65	0,990	197,30	1,290			
		73	522 581 142		282,55	2,508	483,35	3,414			
		71	522 581 143		47,30	0,454	78,70	0,586			
 -1x120	AS Flex-Kabel -1x120	72	522 581 612		89,10	0,648	139,20	0,848			
		73	522 581 613		156,45	1,142	247,55	1,514			
 1x185	AS Flex-Kabel 1x185	72	522 582 112		128,55	0,768	192,00	1,002			
		73	522 582 113		223,35	1,378	338,85	1,818			
 1x240	AS Flex-Kabel 1x240	72	522 582 212		128,55	0,768	192,00	1,002			
		73	522 582 213		228,75	1,378	345,20	1,818			
 1x150	AS Flex-Kabel 1x150	72	522 582 312		116,10	0,648	171,40	0,848			
		73	522 582 313		193,60	1,142	291,85	1,514			
 -18x1,5	AS Flex-Kabel -18x1,5 geschirmt	71	522 585 751		76,30	0,734	126,85	0,946			
		72	522 585 752		176,85	1,560	288,55	2,024			
		73	522 585 753		404,75	3,728	699,85	5,070			
 -25x1,5	AS Flex-Kabel -25x1,5 geschirmt	71	522 585 761		95,40	0,918	158,40	1,182			
		72	522 585 762		217,25	1,942	355,30	2,516			
		73	522 585 763		538,60	4,998	934,25	6,802			



© EIT.swiss 01.21

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x6	Draht Eca 1x6	52	522 713 411		6,65	0,049	10,45	0,064	105 002 400	1,55	1,85
		53	522 713 412		9,15	0,073	14,45	0,094			
 1x10	Seil Eca 1x10	52	522 723 111		9,50	0,060	14,20	0,077	105 502 500	3,25	3,85
		53	522 723 112		14,35	0,107	22,35	0,138			
 1x16	Seil Eca 1x16	52	522 723 211		10,75	0,060	15,70	0,077	105 502 600	4,50	5,40
		53	522 723 212		15,65	0,107	23,85	0,138			
 1x25	Seil Eca 1x25	52	522 723 311		14,00	0,066	20,05	0,086	105 502 700	7,15	8,50
		53	522 723 312		19,80	0,122	29,65	0,158			
 1x35	Seil Eca 1x35	52	522 723 411		16,75	0,066	23,35	0,086	105 502 800	9,90	11,80
		53	522 723 412		22,55	0,122	32,95	0,158			
 1x50	Seil Eca 1x50	52	522 723 511		20,40	0,066	27,70	0,086	105 502 900	13,55	16,15
		53	522 723 512		26,20	0,122	37,30	0,158			
 1,5	Litze Eca 1x1,5	52	522 732 311		5,60	0,049	9,20	0,064	113 113 801	0,50	0,60
 2,5	Litze Eca 1x2,5	52	522 732 411		5,90	0,049	9,50	0,064	113 103 908	0,80	0,95
 4	Litze Eca 1x4	52	522 732 511		6,45	0,049	10,15	0,064	113 104 008	1,35	1,60
 6	Litze Eca 1x6	52	522 732 611		6,95	0,049	10,75	0,064	113 104 100	1,80	2,15